EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	((SATORU) near2 (OHISHI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/06 07:10
L2	797	(image same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:42
L3	209	(image same (reconstruc$4 or "3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:43
L4	65	((surfac$4 with render$4) same subtract$4 same image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:44
L6	250	((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) same ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:46
L7	55	((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:46
L8	0	(image same (reconstruc$4 or "3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image) and ((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:47
L9	0	(image same (reconstruc$4 or "3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image) and (((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:48
L11	9	((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) same ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:51
L12	0	((mask) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) same ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (surfac$4 with render$4) or reconstruct$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2008/06/06 07:51

L13	250	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4))) same ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:52
L14	60	(((synthes$4 or combin$4 or merg$4 or composit$4) near3 (mask or contrast or subtract$4))) same ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:52
L15	11	(((synthes$4 or combin$4 or merg$4 or composit$4) near3 (mask or contrast or subtract$4))) with ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:53
L16	0	(((synthes$4 or combin$4 or merg$4 or composit$4) with (digital with subtract$4 with angiograp$4))) with ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:54
L17	0	(((synthes$4 or combin$4 or merg$4 or composit$4) same (digital with subtract$4 with angiograp$4))) same ((surfac$4 with render$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:54
L18	981	(378/62).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 07:54
L19	2993	(382/128).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 07:55
L20	1228	(345/420).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 07:55
L21	3195	(345/419).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 07:55
L22	24	((image same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:55

L.23	13	((image same (reconstruc$4 or ("3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:55
L.24	0	(((synthes$4 or combin$4 or merg$4 or composit$4)) with (mask or contrast or subtract$4)) same ((surfac$4 with render$4))) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:55
L.25	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) same ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:56
L.26	6	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:56
L.27	6	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:56
L.28	33	((image same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:57
L.29	16	((image same (reconstruc$4 or ("3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:57
L.30	0	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) same ((surfac$4 with render$4))) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:57
L.31	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) same ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:57
L.32	4	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:58

L33	1	((image same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:58
L34	1	((image same (reconstruc$4 or ("3D" or ((three or "3") near dimension$4) or "3-D")) same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:58
L35	6	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) same (surfac$4 with render$4))) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:58
L36	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) same ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:59
L37	1	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 07:59
L38	7	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 08:00
L39	1	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) same (surfac$4 with render$4))) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 08:00
L40	7	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or difference$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 08:00
L41	1	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) same (surfac$4 with render$4))) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 08:00
L42	4	((image same (project$4 with (direct$4 or ("C" near arm) or "C-arm" or "x-ray" or ("x" near ray)))) and (contrast$4 or dye or inject$4) and mask and (subtract$4 same image)) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/06 08:01

L43	4	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or differenc$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))).clm.	US-PGPUB	OR	ON	2008/06/06 08:01
L44	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or differenc$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))).clm. and 21	US-PGPUB	OR	ON	2008/06/06 08:02
L45	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or differenc$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))).clm. and 19	US-PGPUB	OR	ON	2008/06/06 08:04
L46	0	(((mask or contrast$4) with (input$4 or manual$4 or user or operator or physician or keyboard$4 or select$4 or chosen or choose or choice or picked or pick$4) with (subtract$4 or differenc$4)) and ((separat$4 or independen$4 or individual$4) with (("3D" or ((three or "3") near dimension$4) or "3-D") or (volum$4 near render$4) or reconstruct$4))).clm. and 20	US-PGPUB	OR	ON	2008/06/06 08:04
L49	2	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))).clm.	US-PGPUB	OR	ON	2008/06/06 08:11
L50	0	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))).clm. and 19	US-PGPUB	OR	ON	2008/06/06 08:11
L51	0	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))).clm. and 20	US-PGPUB	OR	ON	2008/06/06 08:11
L52	0	(((synthes$4 or combin$4 or merg$4 or composit$4) with (mask or contrast or subtract$4)) with ((surfac$4 with render$4))).clm. and 21	US-PGPUB	OR	ON	2008/06/06 08:12